

H-1. In your lifetime, have you ever had two weeks or more when nearly every day you felt sad, blue, or depressed?

*-

(SKIP TO Q. H-6)	No	1
	Yes	5

H-2. When was the first time you had two weeks or more of feeling sad or depressed?

	Within the last two weeks	1
	Two weeks to less than one month ago	2
(SKIP TO Q. H-4)	One month to less than six months ago	3
	Six months to less than one year ago	4
	In the last twelve months, DK exact time	5
	More than one year ago	6

H-3. How old were you (the first time you had two weeks or more of feeling sad or depressed)?

(AGE AT ONSET)

H-4. When was the last time (you had two weeks or more of feeling sad or depressed)?

	Within the last two weeks	1
	Two weeks to less than one month ago	2
(SKIP TO Q. H-6)	One month to less than six months ago	3
	Six months to less than one year ago	4
	In the last twelve months, DK exact time	5
	More than one year ago	6

H-5. How old were you (the last time you had two weeks or more of feeling sad or depressed)?

(AGE OF REGENCY)

H-6. Have you had two years or more in your life when you felt depressed or sad most days, even if you felt okay sometimes?

No	1
Yes	5

(IF "NO" TO QQ. H-1 AND Q. H-6, SKIP TO Q. H-16)

H-7. Did a period like that ever last two years without being interrupted by your feeling okay for two months?

(SKIP TO Q. H-16)	No	1
	Yes	5

H-8. Did you tell a doctor about feeling depressed?

	No	1
(SKIP TO Q. H-12)	Yes	5

H-9. Did you tell any other professional about feeling depressed?

	No	1
(SKIP TO Q. H-12)	Yes	5

H-10. Did you take medication more than once for feeling depressed?

	No	1
(SKIP TO Q. H-12)	Yes	5

H-11. Did feeling depressed interfere with your life or activities a lot?

(SKIP TO Q. H-16)	No	1
	Yes	5

H-12. When did your first two years of feeling sad most of the time begin?

	Within the last two weeks	1
	Two weeks to less than one month ago	2
(SKIP TO Q. H-14)	One month to less than six months ago	3
	Six months to less than one year ago	4
	In the last twelve months, DK exact time	5
	More than one year ago	6

H-13. How old were you (when your first two years of feeling sad most of the time began)?

(AGE AT ONSET)

H-14. When did your last period of at least two years of feeling sad most of the time end?

	Within the last two weeks	1
	Two weeks to less than one month ago	2
(SKIP TO Q. H-16)	One month to less than six months ago	3
	Six months to less than one year ago	4
	In the last twelve months, DK exact time	5
	More than one year ago	6

H-15. How old were you (when your last period of at least two years of feeling sad most of the time ended)?

(AGE OF REGENCY)

H-16. Has there ever been a period of two weeks or longer when you lost your appetite?

X
(RESPONSE CAN BE "YES" EVEN IF FOOD INTAKE IS NORMAL)

(SKIP TO Q. H-29)	No	1
	Yes	5

H-17. Did you tell a doctor about losing your appetite?

	No	1
(SKIP TO Q. H-21)	Yes	5

H-18. Was losing your appetite ever the result of a physical illness or injury?

(SKIP TO Q. H-20)	No	1
	Yes	5

H-19. What caused you to lose your appetite?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-26)

H-20. Was losing your appetite ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-29)	No	1
(SKIP TO Q. H-23)	Yes	5

H-21. When you told the doctor, what was the diagnosis? (What did he say was causing you to lose your appetite?)

(SKIP TO Q. H-29)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
(SKIP TO Q. H-23)	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-26)	Physical illness or injury (SPECIFY): _____	3
	No definite diagnosis	4

H-22. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-29)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-26)	Physical illness or injury (SPECIFY): _____	3
(SKIP TO Q. H-29)	No, no exam, don't know	4

H-23. Was losing your appetite always the result of taking medication, drugs or alcohol?

	No	1
(SKIP TO Q. H-23)	Yes	5

(IF NO DOCTOR TOLD IN Q. H-17, SKIP TO Q. H-29)

H-24. When losing your appetite was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-29)	No	1
	Yes	5

H-25. What caused you to lose your appetite (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-29)

H-26. Was losing your appetite always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-19/Q. H-21/Q. H-22)?

	No	1
(SKIP TO Q. H-29)	Yes	5

H-27. When losing your appetite was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-29)	No	1
	Yes	5

(IF RESPONSE TO Q. H-21 OR Q. H-22 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-29)

H-28. What caused you to lose your appetite (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-29. Have you ever lost weight without trying to--as much as two pounds a week for several weeks or as much as ten pounds altogether?

(SKIP TO Q. H-42)	No	1
	Yes	5

H-30. Did you tell a doctor about losing weight?

	No	1
(SKIP TO Q. H-34)	Yes	5

H-31. Was losing weight ever the result of a physical illness or injury?

(SKIP TO Q. H-33)	No	1
	Yes	5

H-32. What caused you to lose weight?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-39)

H-33. Was losing weight ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-42)	No	1
(SKIP TO Q. H-36)	Yes	5

H-34. When you told the doctor, what was the diagnosis? (What did he say was causing you to lose weight?)

- | | | |
|-------------------|---|---|
| (SKIP TO Q. H-42) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-36) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-39) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-35. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|-------------------|---|---|
| (SKIP TO Q. H-42) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-39) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-42) | No, no exam, don't know | 4 |

H-36. Was losing weight always the result of taking medication, drugs or alcohol?

- | | | |
|-------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-41) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-30, SKIP TO Q. H-42)

H-37. When losing weight was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-42)	No	1
	Yes	5

H-38. What caused you to lose weight (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-42)

H-39. Was losing weight always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-32/Q. H-34/Q. H-35)?

	No	1
(SKIP TO Q. H-42)	Yes	5

H-40. When losing weight was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-42)	No	1
	Yes	5

(IF RESPONSE TO Q. H-34 OR Q. H-35 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-42)

H-41. What caused you to lose weight (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-42. Has there ever been at least two weeks when you had an increase in appetite?

(SKIP TO Q. H-55)	No	1
	Yes	5

H-43. Did you tell a doctor about the increase in appetite?

	No	1
(SKIP TO Q. H-47)	Yes	5

H-44. Was the increase in appetite ever the result of a physical illness or injury?

(SKIP TO Q. H-46)	No	1
	Yes	5

H-45. What caused the increase in appetite?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-52)

H-46. Was the increase in appetite ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-55)	No	1
(SKIP TO Q. H-49)	Yes	5

H-47. When you told the doctor, what was the diagnosis? (What did he say was causing the increase in appetite?)

(SKIP TO Q. H-55)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
(SKIP TO Q. H-49)	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-52)	Physical illness or injury (SPECIFY): _____	3
	No definite diagnosis	4

H-48. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-55)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-52)	Physical illness or injury (SPECIFY): _____	3
(SKIP TO Q. H-55)	No, no exam, don't know	4

H-49. Was the increase in appetite always the result of taking medication, drugs or alcohol?

	No	1
(SKIP TO Q. H-54)	Yes	5

(IF NO DOCTOR TOLD IN Q. H-43, SKIP TO Q. H-55)

H-50. When the increase in appetite was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-55)	No	1
	Yes	5

H-51. What caused the increase in appetite (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-55)

H-52. Was the increase in appetite always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-45/Q. H-47/Q. H-48)?

	No	1
(SKIP TO Q. H-55)	Yes	5

H-53. When the increase in appetite was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-55)	No	1
	Yes	5

(IF RESPONSE TO Q. H-47 OR Q. H-48 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-55)

H-54. What caused the increase in appetite (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-55. Have you ever had a period when your eating increased so much that you gained as much as two pounds a week for several weeks or as much as ten pounds altogether?

~~X~~ (RESPONSE IS "NO" IF REBOUND AFTER MALNUTRITION)

(SKIP TO Q. H-63)	No	1
	Yes	5

H-56. Did you tell a doctor about gaining as much as two pounds a week for several weeks?

	No	1
(SKIP TO Q. H-60)	Yes	5

H-57. Was gaining as much as two pounds a week for several weeks ever the result of a physical illness or injury?

(SKIP TO Q. H-59)	No	1
	Yes	5

H-58. What caused you to gain as much as two pounds a week for several weeks?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-65)

H-59. Was gaining as much as two pounds a week for several weeks ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-68)	No	1
(SKIP TO Q. H-62)	Yes	5

H-60. When you told the doctor, what was the diagnosis? (What did he say was causing you to gain as much as two pounds a week for several weeks?)

- | | | |
|-------------------|---|---|
| (SKIP TO Q. H-68) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-62) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-65) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-61. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|-------------------|---|---|
| (SKIP TO Q. H-68) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-65) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-68) | No, no exam, don't know | 4 |

H-62. Was gaining as much as two pounds a week for several weeks always the result of taking medication, drugs or alcohol?

- | | | |
|-------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-67) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-56, SKIP TO Q. H-63)

H-63. When gaining as much as two pounds a week for several weeks was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-63)	No	1
	Yes	5

H-64. What caused you to gain as much as two pounds a week for several weeks (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-63)

H-65. Was gaining as much as two pounds a week for several weeks always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-58/Q. H-60/Q. H-61)?

	No	1
(SKIP TO Q. H-63)	Yes	5

H-66. When gaining as much as two pounds a week for several weeks was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-63)	No	1
	Yes	5

(IF RESPONSE TO Q. H-60 OR Q. H-61 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-63)

H-67. What caused you to gain as much as two pounds a week for several weeks (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-63. Have you ever had two weeks or more when nearly every night you had trouble falling asleep, staying asleep, or waking up too early?

(SKIP TO Q. H-81)	No	1
	Yes	5

H-69. Did you tell a doctor about having trouble falling asleep?

	No	1
(SKIP TO Q. H-73)	Yes	5

H-70. Was having trouble falling asleep ever the result of a physical illness or injury?

(SKIP TO Q. H-72)	No	1
	Yes	5

H-71. What caused you to have trouble falling asleep?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-78)

H-72. Was having trouble falling asleep ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-81)	No	1
(SKIP TO Q. H-75)	Yes	5

H-73. When you told the doctor, what was the diagnosis? (What did he say was causing you to have trouble falling asleep?)

(SKIP TO Q. H-81)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
(SKIP TO Q. H-75)	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-78)	Physical illness or injury (SPECIFY): _____	3
	No definite diagnosis	4

H-74. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-81)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1-
	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-78)	Physical illness or injury (SPECIFY): _____	3
(SKIP TO Q. H-81)	No, no exam, don't know	4

H-75. Was having trouble falling asleep always the result of taking medication, drugs or alcohol?

	No	1
(SKIP TO Q. H-80)	Yes	5

(IF NO DOCTOR TOLD IN Q. H-69, SKIP TO Q. H-81)

H-76. When having trouble falling asleep was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-81)	No	1
	Yes	5

H-77. What caused you to have trouble falling asleep (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-81)

H-78. Was having trouble falling asleep always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-71/Q. H-73/Q. H-74)?

	No	1
(SKIP TO Q. H-81)	Yes	5

H-79. When having trouble falling asleep was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-81)	No	1
	Yes	5

(IF RESPONSE TO Q. H-73 OR Q. H-74 IS MEDICATION, DRUGS OR ALCOHOL. SKIP TO Q. H-81)

H-80. What caused you to have trouble falling asleep (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-81. Have you ever had two weeks or longer when nearly every day you were sleeping too much?

(SKIP TO Q. H-94)

No	1
Yes	5

H-82. Did you tell a doctor about sleeping too much?

No	1	
(SKIP TO Q. H-86)	Yes	5

H-83. Was sleeping too much ever the result of a physical illness or injury?

(SKIP TO Q. H-85)	No	1
	Yes	5

H-84. What caused you to sleep too much?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-91)

H-85. Was sleeping too much ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-94)	No	1
(SKIP TO Q. H-88)	Yes	5

H-86. When you told the doctor, what was the diagnosis? (What did he say was causing you to sleep too much?)

- | | | |
|-------------------|---|---|
| (SKIP TO Q. H-94) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-88) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-91) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-87. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|-------------------|---|---|
| (SKIP TO Q. H-94) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-91) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-94) | No, no exam, don't know | 4 |

H-88. Was sleeping too much always the result of taking medication, drugs or alcohol?

- | | | |
|-------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-93) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-82, SKIP TO Q. H-94)

H-89. When sleeping too much was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-94)	No	1
	Yes	5

H-90. What caused you to sleep too much (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-94)

H-91. Was sleeping too much always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-84/Q. H-86/Q. H-87)?

	No	1
(SKIP TO Q. H-94)	Yes	5

H-92. When sleeping too much was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-94)	No	1
	Yes	5

(IF RESPONSE TO Q. H-86 OR Q. H-87 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-94)

H-93. What caused you to sleep too much (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-94. Has there ever been a period lasting two weeks or more when you lacked energy or felt tired out all the time even when you had not been working very hard?

*

(SKIP TO Q. H-107)	No	1
	Yes	5

H-95. Did you tell a doctor about feeling tired out all the time?

	No	1
(SKIP TO Q. H-99)	Yes	5

H-96. Was feeling tired out all the time ever the result of a physical illness or injury?

(SKIP TO Q. H-98)	No	1
	Yes	5

H-97. What caused you to feel tired out all the time?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-104)

H-98. Was feeling tired out all the time ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-107)	No	1
(SKIP TO Q. H-101)	Yes	5

H-99. When you told the doctor, what was the diagnosis? (What did he say was causing you to feel tired out all the time?)

(SKIP TO Q. H-107)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
(SKIP TO Q. H-101)	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-104)	Physical illness or injury (SPECIFY): _____	3
	No definite diagnosis	4

H-100. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-107)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-104)	Physical illness or injury (SPECIFY): _____	3
(SKIP TO Q. H-107)	No, no exam, don't know	4

H-101. Was feeling tired out all the time always the result of taking medication, drugs or alcohol?

	No	1
(SKIP TO Q. H-106)	Yes	5

(IF NO DOCTOR TOLD IN Q. H-95, SKIP TO Q. H-107)

H-102. When feeling tired out all the time was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-107)	No	1
	Yes	5

H-103. What caused you to feel tired out all the time (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-107)

H-104. Was feeling tired out all the time always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-97/Q. H-99/Q. H-100)?

	No	1
(SKIP TO Q. H-107)	Yes	5

H-105. When feeling tired out all the time was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-107)	No	1
	Yes	5

(IF RESPONSE TO Q. H-99 OR Q. H-100 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-107)

H-106. What caused you to feel tired out all the time (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-107. Has there ever been two weeks or more when nearly every day you talked or moved more slowly than is normal for you?

X

(SKIP TO Q. H-120)	No	1
	Yes	5

H-108. Did you tell a doctor about talking or moving more slowly?

	No	1
(SKIP TO Q. H-112)	Yes	5

H-109. Was talking or moving more slowly ever the result of a physical illness or injury?

(SKIP TO Q. H-111)	No	1
	Yes	5

H-110. What caused you to talk or move more slowly?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-117)

H-111. Was talking or moving more slowly ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-120)	No	1
(SKIP TO Q. H-114)	Yes	5

H-112. When you told the doctor, what was the diagnosis? (What did he say was causing you to talk or move more slowly?)

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-120) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-114) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-117) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-113. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-120) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-117) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-120) | No, no exam, don't know | 4 |

H-114. Was talking or moving more slowly always the result of taking medication, drugs or alcohol?

- | | | |
|--------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-119) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-108, SKIP TO Q. H-120)

H-115. When talking or moving more slowly was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-120)	No	1
	Yes	5

H-116. What caused you to talk or move more slowly (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-120)

H-117. Was talking or moving more slowly always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-110/Q. H-112/Q. H-113)?

	No	1
(SKIP TO Q. H-120)	Yes	5

H-118. When talking or moving more slowly was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-120)	No	1
	Yes	5

(IF RESPONSE TO Q. H-112 OR Q. H-113 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-120)

H-119. What caused you to talk or move more slowly (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-120. * Has there ever been two weeks or more when nearly every day you had to be moving all the time--that is, you couldn't sit still and paced up and down?

(SKIP TO Q. H-133)	No	1
	Yes	5

H-121. Did you tell a doctor about moving all the time?

	No	1
(SKIP TO Q. H-125)	Yes	5

H-122. Was moving all the time ever the result of a physical illness or injury?

(SKIP TO Q. H-124)	No	1
	Yes	5

H-123. What caused you to move all the time?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-130)

H-124. Was moving all the time ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q.- H-133)	No	1
(SKIP TO Q. H-127)	Yes	5

H-125. When you told the doctor, what was the diagnosis? (What did he say was causing you to move all the time?)

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-133) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-127) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-130) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-126. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-133) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-130) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-133) | No, no exam, don't know | 4 |

H-127. Was moving all the time always the result of taking medication, drugs or alcohol?

- | | | |
|--------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-132) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-125, SKIP TO Q. H-133)

H-128. When moving all the time was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-133)	No	1
	Yes	5

H-129. What caused you to move all the time (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-133)

H-130. Was moving all the time always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-123/Q. H-125/Q. H-126)?

	No	1
(SKIP TO Q. H-133)	Yes	5

H-131. When moving all the time was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-133)	No	1
	Yes	5

(IF RESPONSE TO Q. H-125 OR Q. H-126 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-133)

H-132. What caused you to move all the time (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-133. Has there ever been two weeks or longer when you lost all interest in things like work or hobbies or things you usually liked to do for fun?

*

(SKIP TO Q. H-146)	No	1
	Yes	5

H-134. Did you tell a doctor about losing all interest in things?

	No	1
(SKIP TO Q. H-138)	Yes	5

H-135. Was losing all interest in things ever the result of a physical illness or injury?

(SKIP TO Q. H-137)	No	1
	Yes	5

H-136. What caused you to lose all interest in things?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-143)

H-137. Was losing all interest in things ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-146)	No	1
(SKIP TO Q. H-140)	Yes	5

H-138. When you told the doctor, what was the diagnosis? (What did he say was causing you to lose all interest in things?)

(SKIP TO Q. H-146)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
(SKIP TO Q. H-140)	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-143)	Physical illness or injury (SPECIFY): _____	3
	No definite diagnosis	4

H-139. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-146)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-143)	Physical illness or injury (SPECIFY): _____	3
(SKIP TO Q. H-146)	No, no exam, don't know	4

H-140. Was losing all interest in things always the result of taking medication, drugs or alcohol?

	No	1
(SKIP TO Q. H-145)	Yes	5

(IF NO DOCTOR TOLD IN Q. H-134, SKIP TO Q. H-146)

H-141. When losing all interest in things was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-146)	No	1
	Yes	5

H-142. What caused you to lose all interest in things (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-146)

H-143. Was losing all interest in things always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-136/Q. H-138/Q. H-139)?

	No	1
(SKIP TO Q. H-146)	Yes	5

H-144. When losing all interest in things was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-146)	No	1
	Yes	5

(IF RESPONSE TO Q. H-138 OR Q. H-139 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-146)

H-145. What caused you to lose all interest in things (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-146. Has there ever been two weeks or more when nearly every day you felt worthless, sinful, or guilty?

(SKIP TO Q. H-159)	No	1
	Yes	5

H-147. Did you tell a doctor about feeling worthless?

	No	1
(SKIP TO Q. H-151)	Yes	5

H-148. Was feeling worthless ever the result of a physical illness or injury?

(SKIP TO Q. H-150)	No	1
	Yes	5

H-149. What caused you to feel worthless?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-156)

H-150. Was feeling worthless ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-159)	No	1
(SKIP TO Q. H-153)	Yes	5

H-151. When you told the doctor, what was the diagnosis? (What did he say was causing you to feel worthless?)

(SKIP TO Q. H-159)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
(SKIP TO Q. H-153)	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-156)	Physical illness or injury (SPECIFY): _____	3
	No definite diagnosis	4

H-152. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-159)	Nerves, stress, anxiety, depression, mental illness (SPECIFY): _____	1
	Medication, drugs, alcohol (SPECIFY): _____	2
(SKIP TO Q. H-156)	Physical illness or injury (SPECIFY): _____	3
(SKIP TO Q. H-159)	No, no exam, don't know	4

H-153. Was feeling worthless always the result of taking medication, drugs or alcohol?

	No	1
(SKIP TO Q. H-158)	Yes	5

(IF NO DOCTOR TOLD IN Q. H-147, SKIP TO Q. H-159)

H-154. When feeling worthless was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-159)	No	1
	Yes	5

H-155. What caused you to feel worthless (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-159)

H-156. Was feeling worthless always the result of a physical illness or injury - such as (SPECIFY RESPONSE TO Q. H-149/Q. H-151/Q. H-152)?

	No	1
(SKIP TO Q. H-159)	Yes	5

H-157. When feeling worthless was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-159)	No	1
	Yes	5

(IF RESPONSE TO Q. H-151 OR Q. H-152 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-159)

H-158. What caused you to feel worthless (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-159. Has there ever been a week or longer when you felt that you were not as good as other people or inferior?

(SKIP TO Q. H-172)	No	1
	Yes	5

H-160. Did you tell a doctor about feeling you were not as good as other people?

	No	1
(SKIP TO Q. H-164)	Yes	5

H-161. Was feeling you were not as good as other people ever the result of a physical illness or injury?

(SKIP TO Q. H-163)	No	1
	Yes	5

H-162. What caused you to feel you were not as good as other people?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-169)

H-163. Was feeling you were not as good as other people ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-172)	No	1
(SKIP TO Q. H-166)	Yes	5

H-164. When you told the doctor, what was the diagnosis? (What did he say was causing you to feel you were not as good as other people?)

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-172) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-166) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-169) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-165. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-172) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-169) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-172) | No, no exam, don't know | 4 |

H-166. Was feeling you were not as good as other people always the result of taking medication, drugs or alcohol?

- | | | |
|--------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-171) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-160, SKIP TO Q. H-172)

H-167. When feeling you were not as good as other people was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-172)	No	1
	Yes	5

H-168. What caused you to feel you were not as good as other people (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-172)

H-169. Was feeling you were not as good as other people always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-162/Q. H-164/Q. H-165)?

	No	1
(SKIP TO Q. H-172)	Yes	5

H-170. When feeling you were not as good as other people was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-172)	No	1
	Yes	5

(IF RESPONSE TO Q. H-164 OR Q. H-165 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-172)

H-171. What caused you to feel you were not as good as other people (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-172. Has there ever been a week or longer when you had so little self-confidence that you wouldn't try to have your say about anything?

(SKIP TO Q. H-185)	No	1
	Yes	5

H-173. Did you tell a doctor about having so little self-confidence?

	No	1
(SKIP TO Q. H-177)	Yes	5

H-174. Was having so little self-confidence ever the result of a physical illness or injury?

(SKIP TO Q. H-176)	No	1
	Yes	5

H-175. What caused you to have so little self-confidence?

(PHYSICAL ILLNESS OR INJURY)
(ALL SKIP TO Q. H-182)

H-176. Was having so little self-confidence ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-185)	No	1
(SKIP TO Q. H-179)	Yes	5

H-177. When you told the doctor, what was the diagnosis? (What did he say was causing you to have so little self-confidence?)

(SKIP TO Q. H-185) Nerves, stress, anxiety, depression, mental illness 1
(SPECIFY): _____

(SKIP TO Q. H-179) Medication, drugs, alcohol 2
(SPECIFY): _____

(SKIP TO Q. H-182) Physical illness or injury 3
(SPECIFY): _____

No definite diagnosis 4

H-178. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-185) Nerves, stress, anxiety, depression, mental illness 1
(SPECIFY): _____

Medication, drugs, alcohol 2
(SPECIFY): _____

(SKIP TO Q. H-182) Physical illness or injury 3
(SPECIFY): _____

(SKIP TO Q. H-185) No, no exam, don't know 4

H-179. Was having so little self-confidence always the result of taking medication, drugs or alcohol?

No 1

(SKIP TO Q. H-184) Yes 5

(IF NO DOCTOR TOLD IN Q. H-173, SKIP TO Q. H-185)

H-180. When having so little self-confidence was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-185)	No	1
	Yes	5

H-181. What caused you to have so little self-confidence (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-185)

H-182. Was having so little self-confidence always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-175/Q. H-177/Q. H-178)?

	No	1
(SKIP TO Q. H-185)	Yes	5

H-183. When having so little self-confidence was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-185)	No	1
	Yes	5

(IF RESPONSE TO Q. H-177 OR Q. H-178 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-185)

H-184. What caused you to have so little self-confidence (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-185. Has there ever been two weeks or more when nearly every day you had a lot more trouble concentrating than is normal for you?

X

(SKIP TO Q. H-198)	No	1
	Yes	5

H-186. Did you tell a doctor about having more trouble concentrating?

	No	1
(SKIP TO Q. H-190)	Yes	5

H-187. Was having more trouble concentrating ever the result of a physical illness or injury?

(SKIP TO Q. H-189)	No	1
	Yes	5

H-188. What caused you to have more trouble concentrating?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-195)

H-189. Was having more trouble concentrating ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-198)	No	1
(SKIP TO Q. H-192)	Yes	5

H-190. When you told the doctor, what was the diagnosis? (What did he say was causing you to have more trouble concentrating?)

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-198) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-192) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-195) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-191. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-198) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-195) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-198) | No, no exam, don't know | 4 |

H-192. Was having more trouble concentrating always the result of taking medication, drugs or alcohol?

- | | | |
|--------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-197) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-186, SKIP TO Q. H-198)

H-193. When having more trouble concentrating was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-198)	No	1
	Yes	5

H-194. What caused you to have more trouble concentrating (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-198)

H-195. Was having more trouble concentrating always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-188/Q. H-190/Q. H-191)?

	No	1
(SKIP TO Q. H-198)	Yes	5

H-196. When having more trouble concentrating was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-198)	No	1
	Yes	5

(IF RESPONSE TO Q. H-190 OR Q. H-191 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-198)

H-197. What caused you to have more trouble concentrating (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-198. Have you ever had two weeks or more when nearly every day your thoughts came much slower than usual or seemed mixed up?

(SKIP TO Q. H-211)	No	1
	Yes	5

H-199. Did you tell a doctor about having thoughts come much slower?

	No	1
(SKIP TO Q. H-203)	Yes	5

H-200. Was having thoughts come much slower ever the result of a physical illness or injury?

(SKIP TO Q. H-202)	No	1
	Yes	5

H-201. What caused you to have thoughts come much slower?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-208)

H-202. Was having thoughts come much slower ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-211)	No	1
(SKIP TO Q. H-205)	Yes	5

H-203. When you told the doctor, what was the diagnosis? (What did he say was causing you to have thoughts come much slower?)

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-211) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| (SKIP TO Q. H-205) | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-208) | Physical illness or injury
(SPECIFY): _____ | 3 |
| | No definite diagnosis | 4 |

H-204. Did he find anything abnormal when he examined you or took tests or x-rays?

- | | | |
|--------------------|---|---|
| (SKIP TO Q. H-211) | Nerves, stress, anxiety, depression, mental illness
(SPECIFY): _____ | 1 |
| | Medication, drugs, alcohol
(SPECIFY): _____ | 2 |
| (SKIP TO Q. H-208) | Physical illness or injury
(SPECIFY): _____ | 3 |
| (SKIP TO Q. H-211) | No, no exam, don't know | 4 |

H-205. Was having thoughts come much slower always the result of taking medication, drugs or alcohol?

- | | | |
|--------------------|-----|---|
| | No | 1 |
| (SKIP TO Q. H-210) | Yes | 5 |

(IF NO DOCTOR TOLD IN Q. H-199, SKIP TO Q. H-211)

H-206. When having thoughts come much slower was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-211)	No	1
	Yes	5

H-207. What caused you to have thoughts come much slower (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-211)

H-208. Was having thoughts come much slower always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-201/Q. H-203/Q. H-204)?

	No	1
(SKIP TO Q. H-211)	Yes	5

H-209. When having thoughts come much slower was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-211)	No	1
	Yes	5

(IF RESPONSE TO Q. H-203 OR Q. H-204 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-211)

H-210. What caused you to have thoughts come much slower (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)

H-211. Have you ever had two weeks or more when nearly every day you were unable to make up your mind about things you ordinarily have no trouble deciding about?

(SKIP TO Q. H-224)	No	1
	Yes	5

H-212. Did you tell a doctor about being unable to make up your mind?

	No	1
(SKIP TO Q. H-216)	Yes	5

H-213. Was being unable to make up your mind ever the result of a physical illness or injury?

(SKIP TO Q. H-215)	No	1
	Yes	5

H-214. What caused you to be unable to make up your mind?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-221)

H-215. Was being unable to make up your mind ever the result of taking medication, drugs, or alcohol?

(SKIP TO Q. H-224)	No	1
(SKIP TO Q. H-218)	Yes	5

H-216. When you told the doctor, what was the diagnosis? (What did he say was causing you to be unable to make up your mind?)

(SKIP TO Q. H-224) Nerves, stress, anxiety, depression, mental illness 1
(SPECIFY): _____

(SKIP TO Q. H-218) Medication, drugs, alcohol 2
(SPECIFY): _____

(SKIP TO Q. H-221) Physical illness or injury 3
(SPECIFY): _____

No definite diagnosis 4

H-217. Did he find anything abnormal when he examined you or took tests or x-rays?

(SKIP TO Q. H-224) Nerves, stress, anxiety, depression, mental illness 1
(SPECIFY): _____

Medication, drugs, alcohol 2
(SPECIFY): _____

(SKIP TO Q. H-221) Physical illness or injury 3
(SPECIFY): _____

(SKIP TO Q. H-224) No, no exam, don't know 4

H-218. Was being unable to make up your mind always the result of taking medication, drugs or alcohol?

No 1

(SKIP TO Q. H-223) Yes 5

(IF NO DOCTOR TOLD IN Q. H-212, SKIP TO Q. H-224)

H-219. When being unable to make up your mind was not due to taking medication, drugs or alcohol, was it always the result of a physical illness or injury?

(SKIP TO Q. H-224)	No	1
	Yes	5

H-220. What caused you to be unable to make up your mind (when it was not due to taking medication, drugs or alcohol)?

(PHYSICAL ILLNESS OR INJURY)

(ALL SKIP TO Q. H-224)

H-221. Was being unable to make up your mind always the result of a physical illness or injury such as (SPECIFY RESPONSE TO Q. H-214/Q. H-216/Q. H-217)?

	No	1
(SKIP TO Q. H-224)	Yes	5

H-222. When being unable to make up your mind was not due to a physical illness or injury, was it always the result of taking medication, drugs or alcohol?

(SKIP TO Q. H-224)	No	1
	Yes	5

(IF RESPONSE TO Q. H-216 OR Q. H-217 IS MEDICATION, DRUGS OR ALCOHOL, SKIP TO Q. H-224)

H-223. What caused you to be unable to make up your mind (when it was not due to a physical illness or injury)?

(MEDICATION, DRUG OR ALCOHOL)
